ASCEND INTERNATIONAL
PRODUCT CERTIFICATION

November 19, 1996

	MAX Products	Pipeline Products	Multiband Products	NetWarp Product
Argentina	▢ MAX 200 Plus ▢ MAX 4000 E1 ▢ MAX 4000 E1 w/Redundant P.S.	N/A	N/A	N/A
Australia	▲ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1 ■ MAX 4000 E1/BRI ▲ MAX 4000 E1 w/Redundant P.S. ▲ MAX TNT	▲ Pipeline 25 BRI ■ Pipeline 50 BRI ▲ Pipeline 75 BRI ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128
Austria	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128
Belgium	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128

■ = Certified and Available ● = Beta Permit ▲ = In Process
▢ = Product in Use - Does Not Require Approval
○ = Product Undergoing Testing - Does Not Require Approval

(*) approval held by local distributor

© Copyright 1996, Ascend Communications, Inc.

ASCEND INTERNATIONAL
PRODUCT CERTIFICATION

November 19, 1996

	MAX Products	Pipeline Products	Multiband Products	NetWarp Product
	■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT	▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1		
Brazil	○ MAX 4000 E1 ○ MAX 4000 E1 w/Redundant P.S. ○ MAX 200 Plus	N/A	N/A	N/A
Canada	■ MAX 200 Plus ■ MAX 1800 BRI ■ MAX 2000 T1 ■ MAX T1 ■ MAX T1 w/Redundant P.S. ■ MAX 4000 T1 ■ MAX 4000 T1 w/Redundant P.S. ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 T1 ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 T1	■ Multiband Plus BRI ■ Multiband Plus SW56DP ■ Multiband Plus PRI ■ Multiband VSX BRI ■ Multiband VSX T1	■ Netwarp 128
Chile	□ MAX 200 Plus □ MAX 1800 BRI □ MAX 4000 E1 □ MAX 4000 E1 w/Redundant P.S.	□ Pipeline 50 BRI □ Pipeline 25 BRI	□ Multiband Plus BRI □ Multiband VSX BRI	N/A
Columbia	○ MAX 200 BRI	○ Pipeline 50 BRI	○ Multiband Plus BRI	N/A

■ = Certified and Available ● = Beta Permit ▲ = In Process
□ = Product in Use - Does Not Require Approval
○ = Product Undergoing Testing - Does Not Require Approval

(*) approval held by local distributor

© Copyright 1996, Ascend Communications, Inc.

ASCEND INTERNATIONAL
PRODUCT CERTIFICATION

November 19, 1996

	MAX Products	Pipeline Products	Multiband Products	NetWarp Product
	○ MAX 1800 Plus □ MAX 4000 E1 □ MAX 4000 E1 w/Redundant P.S.	○ Pipeline 25 BRI		
Denmark	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 E1 ■ Pipeline 400 BRI	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128
Finland	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128
France	■ MAX 200 Plus	■ Pipeline 25 BRI	■ Multiband Plus BRI	▲ Netwarp 128

■ = Certified and Available ● = Beta Permit ▲ = In Process
□ = Product in Use - Does Not Require Approval
○ = Product Undergoing Testing - Does Not Require Approval

(*) approval held by local distributor

© Copyright 1996, Ascend Communications, Inc.

ASCEND INTERNATIONAL
PRODUCT CERTIFICATION

November 19, 1996

	MAX Products	Pipeline Products	Multiband Products	NetWarp Product
	■ MAX 1800 BRI ■ MAX E1/BRI ■ MAX E1 w/Redundant PS 1AC and 2 AC ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT	■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus E1 ■ Multiband VSX BRI	
Germany	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S. ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128
Greece	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.	■ Pipeline 25 BRI ■ Pipeline 50 BRI ▲ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128

■ = Certified and Available ● = Beta Permit ▲ = In Process
□ = Product in Use - Does Not Require Approval
○ = Product Undergoing Testing - Does Not Require Approval

(*) approval held by local distributor

© Copyright 1996, Ascend Communications, Inc.

ASCEND INTERNATIONAL
PRODUCT CERTIFICATION

November 19, 1996

	MAX Products	Pipeline Products	Multiband Products	NetWarp Product
	▲ MAX TNT			
Hong Kong	■ MAX 4000 T1	■ Pipeline 25 ■ Pipeline 50 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI	■ Multiband Plus BRI ■ Multiband VSX BRI	N/A
India	▲ MAX 4000 E1/BRI	▲ Pipeline 25 BRI ▲ Pipeline 50 BRI	▲ Multiband VSX BRI	N/A
Ireland	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128
Iceland	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128

■ = Certified and Available ● = Beta Permit ▲ = In Process
□ = Product in Use - Does Not Require Approval
○ = Product Undergoing Testing - Does Not Require Approval

(*) approval held by local distributor

© Copyright 1996, Ascend Communications, Inc.

ASCEND INTERNATIONAL
PRODUCT CERTIFICATION

November 19, 1996

	MAX Products	Pipeline Products	Multiband Products	NetWarp Product
	■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT			
Italy	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128
Jamaica	N/A	○ MAX 4000 T1	N/A	N/A
Japan	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 T1 ■ MAX T1/BRI ■ MAX 4000 T1/BRI ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 25 FX ■ Pipeline 25 PX ■ Pipeline 50 BRI ▲ Pipeline 75 BRI ▲ Pipeline 130 T1 ■ Pipeline 400 BRI ■ Pipeline 400 PRI	■ Multiband Plus BRI ▲ Multiband Plus T1 ■ Multiband VSX BRI ■ Multiband VSX T1	N/A
Korea	▲ MAX 1800 BRI ▲ MAX T1 ■ MAX 4000 E1/BRI (*)	■ Pipeline 25 BRI (*) ■ Pipeline 50 BRI (*)	▲ Multiband Plus BRI ■ Multiband VSX BRI (*)	N/A

■ = Certified and Available ● = Beta Permit ▲ = In Process
□ = Product in Use - Does Not Require Approval
○ = Product Undergoing Testing - Does Not Require Approval

(*) approval held by local distributor

© Copyright 1996, Ascend Communications, Inc.

ASCEND INTERNATIONAL PRODUCT CERTIFICATION

November 19, 1996

	MAX Products	Pipeline Products	Multiband Products	NetWarp Product
Luxembourg	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128
Malaysia	▲ MAX 1800 BRI ▲ MAX E1 ▲ MAX 4000/E1	▲ Pipeline 25 BRI ▲ Pipeline 50 BRI	■ Multiband Plus BRI (*) ▲ VSX-BRI	N/A
Mexico	□ MAX 200 Plus □ MAX 1800 BRI □ MAX 4000 E1 □ MAX 4000 E1 w/Redundant P.S.	□ Pipeline 25 BRI □ Pipeline 50 BRI	N/A	N/A
Netherlands	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128

■ = Certified and Available ● = Beta Permit ▲ = In Process
□ = Product in Use - Does Not Require Approval
○ = Product Undergoing Testing - Does Not Require Approval

(*) approval held by local distributor

© Copyright 1996, Ascend Communications, Inc.

ASCEND INTERNATIONAL PRODUCT CERTIFICATION

November 19, 1996

	MAX Products	Pipeline Products	Multiband Products	NetWarp Product
	w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT			
New Zealand	■ MAX 1800 BRI ■ MAX E1/BRI ■ MAX 4000 E1/BRI (*) ■ MAX 4000 E1 w/Redundant P.S. (*)	▲ Pipeline 25 BRI ■ Pipeline 50 BRI ▲ Pipeline 400 BRI	■ Multiband Plus BRI ■ Multiband VSX BRI (*)	N/A
Norway	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128
Portugal	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128

■ = Certified and Available ● = Beta Permit ▲ = In Process
□ = Product in Use - Does Not Require Approval
○ = Product Undergoing Testing - Does Not Require Approval

(*) approval held by local distributor

© Copyright 1996, Ascend Communications, Inc.

ASCEND INTERNATIONAL PRODUCT CERTIFICATION

November 19, 1996

	MAX Products	Pipeline Products	Multiband Products	NetWarp Product
	w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT			
Russia	▲ MAX 4000 E1/BRI	▲ Pipeline 25 BRI ▲ Pipeline 50 BRI	▲ Multiband VSX BRI	N/A
Singapore	■ MAX 200 Plus (*) ■ MAX 1800 BRI (*) ■ MAX E1 (*) ■ MAX 4000 E1/BRI (*)	■ Pipeline 25 BRI (*) ■ Pipeline 50 BRI (*) ■ Pipeline 50 BRI-HX (*) ■ Pipeline 400 BRI (*) ■ Pipeline 400 E1 (*)	■ Multiband Plus BRI (*) ■ Multiband Plus E1 (*) ■ Multiband VSX BRI (*)	N/A
Slovenia	■ MAX 1800 BRI ■ MAX 4000 E1/BRI	■ Pipeline 25 BRI ■ Pipeline 50 BRI ▲ Pipeline 130 V.35	■ Multiband VSX BRI	N/A
South Africa	▲ MAX 1800 BRI ▲ MAX 200 Plus ▲ MAX 4000 E1/BRI	▲ Pipeline 25 BRI ▲ Pipeline 50 BRI ▲ Pipeline 130 V.35	▲ Multiband VSX BRI	N/A
Spain	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC ■ MAX 4000 E1/BRI	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128

■ = Certified and Available ● = Beta Permit ▲ = In Process
□ = Product in Use - Does Not Require Approval
○ = Product Undergoing Testing - Does Not Require Approval

(*) approval held by local distributor

© Copyright 1996, Ascend Communications, Inc.

ASCEND INTERNATIONAL
PRODUCT CERTIFICATION

November 19, 1996

	MAX Products	Pipeline Products	Multiband Products	NetWarp Product
	w/Redundant P.S.DC ▲ MAX TNT			
Sweden	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S.AC ■ MAX 4000 E1/BRI w/Redundant P.S.DC ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128
Switzerland	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI ■ MAX E1/BRI w/Redundant P.S. ■ MAX 4000 E1/BRI ■ MAX 4000 E1/BRI w/Redundant P.S. ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1	■ Multiband Plus BRI ■ Multiband Plus E1 ■ Multiband VSX BRI	▲ Netwarp 128
Taiwan	■ MAX 1800 BRI ▲ MAX T1/BRI ■ MAX 4000 BRI	▲ Pipeline 25 BRI ■ Pipeline 50 BRI ▲ Pipeline 75 BRI	■ Multiband Plus BRI ▲ Multiband VSX BRI	N/A
U.A.E.	▲ MAX 4000 E1/BRI	▲ Pipeline 25 BRI	▲ Multiband VSX BRI	N/A

■ = Certified and Available ● = Beta Permit ▲ = In Process
□ = Product in Use - Does Not Require Approval
○ = Product Undergoing Testing - Does Not Require Approval

(*) approval held by local distributor

© Copyright 1996, Ascend Communications, Inc.

ASCEND INTERNATIONAL
PRODUCT CERTIFICATION

November 19, 1996

	MAX Products	Pipeline Products	Multiband Products	NetWarp Product
		■ Pipeline 50 BRI		
United Kingdom	■ MAX 200 Plus ■ MAX 1800 BRI ▲ MAX 2000 E1 ■ MAX E1/BRI -NET 5/3 ■ MAX E1-DASS2 ■ MAX E1/BRI w/Redundant P.S. NET 5/3 ■ MAX 4000 E1/BRI - NET 5/3 ■ MAX 4000 E1-DASS2 ■ MAX 4000 E1/BRI w/Redundant P.S. NET 5/3 AC ■ MAX 4000 E1/BRI w/Redundant P.S. NET 5/3 DC ▲ MAX TNT	■ Pipeline 25 BRI ■ Pipeline 50 BRI ■ Pipeline 75 BRI ▲ Pipeline 130 V.35 ■ Pipeline 400 BRI ■ Pipeline 400 E1 DASS 2 ■ Pipeline 400 E1 NET 5	■ Multiband Plus DASS2/DPNSS ■ Multiband Plus BRI ■ Multiband Plus GloBand/NET5 ■ Multiband VSX BRI	▲ Netwarp 128

■ = Certified and Available ● = Beta Permit ▲ = In Process
□ = Product in Use - Does Not Require Approval
○ = Product Undergoing Testing - Does Not Require Approval

(*) approval held by local distributor

© Copyright 1996, Ascend Communications, Inc.