

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2840/2VL
 AHA-2940/4/W

1776, Inc.

1776 DISK ARRAY SOFTWARE

1776 Disk Array Software™ enhances system availability and disk performance under UNIX (on AT® bus, EISA and Micro Channel® systems) by providing on-line storage management, mirroring, striping, RAID arrays and dual-computer fault tolerance using Adaptec® intelligent host adapters. 1776 software achieves maximum performance and dependable recovery from disk errors, due to its built-in device driver written specifically for Adaptec SCSI host adapters.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Australia, Germany, South Africa, USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
SCO ODT 3.0		•			•				•				
SCO OpenSe 5.0		•			•				•				
UNIX-SCO 3.2.2		•			•				•				
UNIX-SCO 3.2.4		•			•				•				

8632 SOUTH SEPULVEDA BOULEVARD • LOS ANGELES, CA 90045 •

PHONE (310) 215-1776
 FAX (310) 216-1107

E-MAIL
 URL <http://1776soft.com/adaptec.htm>

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2840/2VL
 AHA-2940/4/W

1776, Inc.

1776 MULTI HOST SOFTWARE

1776 Multi-Host provides a new higher level of high-availability using Adaptec® host adapters under SCO operating systems. Two systems are connected so that if one fails, the other takes over. Also, the user load can be shared between the two systems for higher performance. This is done by connecting the servers to a common SCSI bus and thus share common disk storage. If one system should fail, the other can take over its operations automatically and almost instantly, and have immediate access to up-to-date user data. By including fault-tolerant device drivers designed specifically for Adaptec host adapters, a very high level of reliability is achieved.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Australia, Germany, South Africa, USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
UNIX-SCO 3.2.4		•			•				•				
SCO ODT 3.0		•			•				•				
UNIX-SCO 3.2.2		•			•				•				
SCO OpenSe 5.0		•			•				•				

8632 SOUTH SEPULVEDA BOULEVARD • LOS ANGELES, CA 90045 •

PHONE (310) 215-1776

E-MAIL

FAX (310) 216-1107

URL <http://1776soft.com/adaptec.htm>

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-2740/2/4/T/W
 AHA-2840/2VL
 AHA-2940/4/W
 AHA-2940U/UW
 AHA-3940/W
 AHA-3980/5/W

Adaptec, Inc.

ADAPTEC CI/O

With easy-to-use Adaptec® CI/O™ software, managers can monitor all SCSI peripheral devices connected to servers by Adaptec host adapters.

Using Adaptec CI/O software on any Windows client, managers can remotely monitor the I/O performance of any server on the network from a single central location. Managers can install the latest device drivers from a remote location as well.

Adaptec CI/O software automatically detects failure of any SCSI device on a network server and notifies the manager immediately. With a clear view of I/O traffic, managers can spot bottlenecks and act quickly to balance I/O loads to optimize performance among SCSI devices. Adaptec CI/O improves the manageability of any size network—from a single server to a global network.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare	3.12+	•	•	•	•	•	•	•	•	•	•	•	•

691 SOUTH MILPITAS BOULEVARD • MILPITAS, CA 95035 • USA

PHONE (408) 945-8600 TOLL FREE (800) 934-2766 E-MAIL sales@adaptec.com
 FAX (408) 262-2533 URL http://www.adaptec.com

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2
AHA-1540/2/F/P
AHA-1640
AHA-2740/2/4/T/W

Cactus International, Inc.

LONE-OPTIMIZER

LONE-OPTIMIZER is a UNIX and Xenix disk optimizer that increases the speed of your system by 20% to 75%. It is fully menu driven for the UNIX impaired making it extremely easy-to-use. The LONE-OPTIMIZER offers a practice mode to let you see exactly what happens before an actual optimization begins. With LONE-OPTIMIZER you can change the high-level interleave on the fly. This feature alone can double system performance. It consolidates all directory information and keeps it next to the inode table for maximum file lookup performance.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

UNIX • •

13987 WEST ANNAPOLIS COURT • MT. AIRY, MD 21771 • USA

PHONE (301) 829-1622 TOLL FREE (800) 525-UNIX E-MAIL cowboy@cactus.com
FAX (301) 829-1623 URL

HOST ADAPTERS TESTED

AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640

Corel Corporation*CORELRAID*

CorelRAID™, a software solution for data security, is a cost-effective way to safeguard your network data. At a fraction of the cost of proprietary hardware solutions, CorelRAID provides fault-tolerant network performance with minimum disk space overhead.

CorelRAID supports RAID levels 4 and 5 in the NetWare 3.11 environment. With a minimum of three SCSI hard drives and any ASPI-compatible SCSI controller, you can install several arrays in minutes. If a drive failure occurs, arrays are repaired with no downtime using either the "hot swap" or "hot standby" features.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

NetWare

•

1600 CARLING AVENUE • OTTAWA, ONTARIO K1Z 8R7 • CANADA

PHONE (613) 728-8200

TOLL FREE (800) 836-7274

E-MAIL

FAX (613) 728-9790

URL

HOST ADAPTERS TESTED

AHA-1510
 AHA-1520/2
 AHA-2740/2/4/T/W
 AHA-2840/2VL
 AHA-2940/4/W

Delphi Data

RAIDER EO ARRAYS

The RAIDer™ series of disk arrays and EO disk arrays provide unique hardware solutions for desktop to mainframe computer systems. Configurations include RAID 0, 1, or 1+ and 10+. Our patented concurrent backup can copy data to tape or optical media without the need to shutdown running applications.

The RAIDer series of JukeBox arrays have configurations including one (1) or more JukeBox mechanisms. A single SCSI ID can control a mirrored set of mechanisms providing transparent redundancy. Tape backup of a JukeBox can be performed offline or concurrently during normal operation.

All systems include an integrated data cache, up to 256Mb per CacheBox, which greatly improves performance.

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Spanish, and Russian

PRODUCTS AVAILABLE IN

Canada, England, Germany, Holland, USA, Western Europe

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
LANMan	•	•	•	•	•	•						•	
NetWare	•	•	•	•	•	•						•	
OS/2	•	•	•	•	•	•						•	
UNIX	•	•	•	•	•	•						•	
Vines	•	•	•	•	•	•						•	
Windows	•	•	•	•	•	•						•	
DOS	•	•	•	•	•	•						•	

9069 CAJALCO ROAD • CORONA, CA 91719 •

PHONE (909) 279-7955 TOLL FREE (800) -DELPHI5 E-MAIL 76470.1544@compuserve.com
 FAX (909) 279-7957 URL

HOST ADAPTERS TESTED

- AHA-1510
- AHA-1520/2
- AHA-2740/2/4/T/W
- AHA-2840/2VL
- AHA-2940/4/W

Delphi Data

RAIDER JUKEBOX ARRAYS

The RAIDER™ series of disk arrays and EO disk arrays provide unique hardware solutions for desktop to mainframe computer systems. Configurations include RAID 0, 1, or 1+ and 10+. Our patented concurrent backup can copy data to tape or optical media without the need to shutdown running applications.

The RAIDER series of JukeBox arrays have configurations including one (1) or more JukeBox mechanisms. A single SCSI ID can control a mirrored set of mechanisms providing transparent redundancy. Tape backup of a JukeBox can be performed offline or concurrently during normal operation.

All systems include an integrated data cache, up to 256Mb per CacheBox, which greatly improves performance.

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Spanish, and Russian

PRODUCTS AVAILABLE IN

Canada, England, Germany, Holland, USA, Western Europe

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS		•			•								
Windows		•			•								
Vines	•	•	•	•	•	•			•				
UNIX	•	•	•	•	•	•			•				
OS/2	•	•	•	•	•	•			•				
LANMan	•	•	•	•	•	•			•				
NetWare	•	•	•	•	•	•			•				

9069 CAJALCO ROAD • CORONA, CA 91719 •

PHONE (909) 279-7955 TOLL FREE (800) -DELPHI5 E-MAIL 76470.1544@compuserve.com
 FAX (909) 279-7957 URL

HOST ADAPTERS TESTED

AHA-1510
 AHA-1520/2
 AHA-2740/2/4/T/W
 AHA-2840/2VL
 AHA-2940/4/W

Delphi Data

RAIDER CACHEBOX ARRAYS
RAIDER WRITABLE CD ARRAYS

The RAIDER™ series of disk arrays and EO disk arrays provide unique hardware solutions for desktop to mainframe computer systems. Configurations include RAID 0, 1, or 1+ and 10+. Our patented concurrent backup can copy data to tape or optical media without the need to shutdown running applications.

The RAIDER series of JukeBox arrays have configurations including one (1) or more JukeBox mechanisms. A single SCSI ID can control a mirrored set of mechanisms providing transparent redundancy. Tape backup of a JukeBox can be performed offline or concurrently during normal operation.

All systems include an integrated data cache, up to 256 Mb per CacheBox, which greatly improves performance.

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Spanish, and Russian

PRODUCTS AVAILABLE IN

Canada, England, Germany, Holland, USA, Western Europe

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare	•	•	•	•	•	•			•				
DOS	•	•	•	•	•	•			•				
Vines	•	•	•	•	•	•			•				
LanMan	•	•	•	•	•	•			•				
OS/2	•	•	•	•	•	•			•				
Windows	•	•	•	•	•	•			•				
UNIX	•	•	•	•	•	•			•				

9069 CAJALCO ROAD • CORONA, CA 91719 •

PHONE (909) 279-7955 TOLL FREE (800) -DELPHI5 E-MAIL 76470.1544@compuserve.com
 FAX (909) 279-7957 URL

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2840/2VL
 AHA-2940/4/W

Florida Datamation

DATA ON DEMAND

Data On Demand is a fault tolerance disk array with user programmable RAID 0, 3 and 5. It supports up to 24GB with desk side and 96GB with rack mount. Features include hot swap data and power modules, and redundant fan and I/O control.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

DOS	•
LanMan	•
QNX2	•
QNX4	•
THEOS	•
Vines	•
Windows	•

AMTEC CENTER 6405 CONGRESS AVE, SUITE 140 • BOCA RATON, FL 33487 •

PHONE (407) 241-2966 TOLL FREE (800) 642-5938 E-MAIL sales@fdma.com
 FAX (407) 241-3108 URL

HOST ADAPTERS TESTED

AHA-1520/2
 AHA-1540/2/F/P
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-2940U/UW

HCL Hewlett Packard Ltd.

BUSY BEE AND METEOR

The HCL-Hewlett Packard Busy Bee and Meteor Systems are developed in India for use in the Indian market. They are highly scalable designs starting from home PC low-end configurations to large business UNIX and NetWare servers.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

India

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS	•	•	•		•				•	•	•		
NetWare	•	•	•		•				•	•	•		
Windows	•	•	•		•				•	•	•		
UNIX	•	•	•		•				•	•	•		
OS/2	•	•	•		•				•	•	•		

E4, E5, E6 SECTOR 11 NOIDA • DIST GHAZIABAD, 201301 • INDIA

PHONE 91-11-8531353

E-MAIL

FAX 91-11-8521113

URL

HOST ADAPTERS TESTED

AHA-1640
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-3940/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Legacy Storage Systems

SMART ARRAY, SMART ARRAY XE

Legacy's SmartArray® family of disk array subsystems offer the best combination of performance and fault tolerance for mission-critical servers. Available as either a storage tower or rack-mount, SmartArray subsystems accommodate every major storage technology: hard disk, CD-ROM, and tape (DAT, QIC, and 8mm). Devices and power supplies are hot-swappable for zero-downtime applications. The advanced intelligent monitor displays device, power supply, temperature, and fan status. It also monitors RAID rebuilds and detects duplicate SCSI IDs. Visual and audio alarms indicate error conditions, and messages can be broadcast by MHS or SNMP, or via pager.

SmartArray supports up to 6 SCSI-3 Fast/Wide buses, and all major operating systems.

Canadian Corporate Headquarters
 43 Riviera Drive
 Markham, Ontario L3R 5J6
 Canada
 Tel: (905)475-1077
 Fax: (905)475-1088

138 RIVER ROAD SUITE 204 • ANDOVER, MA 01810 • USA

PHONE (508) 681-8400

TOLL FREE (800) 966-6442

E-MAIL

FAX (508) 689-9004

URL

HOST ADAPTERS TESTED

AHA-1540/2/F/P
AHA-2740/2/4/T/W
AHA-2940/4/W
AHA-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Logicraft Information Systems

THE JUKEBOX MANAGER

The Jukebox Manager™ option for Logicraft's LanCD™ network server software provides a versatile solution for networked access to archived CD-ROM storage. It is modular in design, hardware independent and non-vendor specific for jukebox support. Features include Document Image Management, static directory or platter caching and DDC (dynamic hard disk cache), asynchronous access, multiple jukebox support, Intelligent Optical Reader Selection, local on-line management, and support for up to 1280 platters and 56 readers per LanCD server. With up to 10 servers per client, each user could have access to more than 12 thousand CD-ROM discs.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logicraft.com

FAX (603) 880-7229

URL <http://www.logicraft.com>

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-3940/W

Logicraft Information Systems

FASTCD, LANCD

FastCD™ is an option available with Logicraft's LanCD™ networking software for providing multiple concurrent access to CD-ROM applications in a multi-platform, multi-protocol networking environment. FastCD creates "virtual CD-ROM discs" on fast, high performance SCSI hard drives by caching the entire contents of a CD-ROM in its native format onto a FastCD partition of the hard disk, providing users with easy access to their CD-ROM applications at hard disk speeds up to 300 times faster than standard CD-ROM drives. FastCD software includes comprehensive status reports, multimedia support, and asynchronous disk access for higher throughput during multiple concurrent accessing.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logicraft.com

FAX (603) 880-7229

URL <http://www.logicraft.com>

HOST ADAPTERS TESTED

AHA-2740/2/4/T/W

Logicraft Information Systems*CDEXECUTIVE CD-ROM NETWORK SERVER*

The CDexecutive™ /XF5500 CD-ROM network server provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high performance CDexecutive Management Center software that automatically monitors and manages CD-ROM applications as a background Windows NT service. Client support includes Windows 95, Windows for Workgroups, Macintosh and NetWare clients. The XF server holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. It runs at 120MHz, has 32MB of RAM and supports up to 56 SCSI devices.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Logicraft Information Systems

LANCD CD-ROM NETWORK SERVERS

The LanCD™/XF family of CD-ROM network servers provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high performance LanCD and FastCD™ software that supports DOS, Windows and Windows 95 clients. Optional support is available for Windows NT and Macintosh clients. Each chassis holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. The XF5300 runs at 75MHz, has 16MB of RAM and expands to 28 drives. The XF5500 runs at 120MHz, has 32MB and supports up to 56 drives.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2
AHA-1540/2/F/P
AHA-1640
AHA-2740/2/4/T/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Media Integration, Inc.

INTELLIGENT STORAGE

Intelligent Storage™ is a fault-tolerant SCSI storage subsystem for hard disks, optical disks and tape drives. Features include distributed power with redundant, hot removable and replaceable power supplies and removable storage devices, including those with removable media. It provides the highest level of fault tolerant, redundant power and removability while continuing full operation. It will accept any standard 5.25" or 3.5" storage device.

3949 RESEARCH PARK COURT SUITE 190 • SOQUEL, CA 95073 • USA

PHONE (408) 475-9400

TOLL FREE (800) 824-7385

E-MAIL

FAX (408) 475-0110

URL

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-2840/2VL
 AHA-3940/W

Optisys

GLOBALNET

GlobalNet™ storage servers provide Novell Network access to optical jukeboxes, including CD-ROM, Erasable and WORM (Write Once Read Many) technologies. Notable for its ease of installation, use and its speed.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows	•		•	•		•			•			•	
DOS	•		•	•		•			•			•	
NetWare	•		•	•		•			•			•	

9250 NORTH 43RD AVENUE, SUITE 12 • GLENDALE, AZ 85302 •

PHONE (602) 997-9699 TOLL FREE (800) 327-1271 E-MAIL
 FAX (602) 944-4051 URL

HOST ADAPTERS TESTED

AHA-2940/4/W

Symbios Logic

METASTOR

MetaStor disk array products provide high performance RAID in addition to other features that contribute to continuous data availability.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

NetWare

•

Windows NT

•

3718 N ROCK ROAD • WICHITA, KS 67226 • USA

PHONE (316) 636-8000

TOLL FREE (800) 440-5606

E-MAIL

FAX (316) 636-8889

URL

