

HOST ADAPTERS TESTED

- APA-348
- APA-358
- APA-1460
- AVA-1505
- AHA-1510
- AVA-1515
- AHA-1520/2
- AHA-1530/2P
- AHA-1540/2/F/P
- AHA-1640
- AHA-2740/2/4/T/W
- AHA-2840/2VL
- AHA-2920
- AHA-2940/4/W
- AHA-2940U/UW
- AHA-3940/W

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Japanese, Portuguese, Spanish

PRODUCTS AVAILABLE IN

Worldwide

Adaptec, Inc.

ADAPTEC EZ-SCSI

If you have - or are planning to add SCSI peripherals like tape or disk drives, CD-ROM drives, recordable CD-R drives, magneto-optical drives, or scanners, Adaptec® EZ-SCSI™ software provides everything you need to manage and take full advantage of each device.

Adaptec EZ-SCSI software is a suite of 32-bit practical applications and power tools that are remarkably easy to install and use. Simple desktop controls give you immediate access to any function. A unique online tutorial explains everything you need to know about SCSI in easy to understand terms.

Key benefits:

- * Easiest way to manage SCSI peripherals
- * For Windows® operating systems
- * Includes these practical applications: Adaptec Backup, QuickScan™, Audio CD Player, Photo CD Viewer, CD Writer, and CD Copier
- * Includes these power tools: SCSI Explorer™ (Power Management, SCSI Interrogator™, Read/Write Disk Cache tool), SCSI Tutor™, SCSI Bench™, and Drive Light

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows 95 1.0	•	•	•		•	•				•			
Win for Wkgr 3.1+	•	•	•		•	•				•			
Windows 3.1+	•	•	•		•	•				•			
Windows NT 3.51	•		•							•			
DOS 6.0	•	•	•		•	•				•			

691 SOUTH MILPITAS BOULEVARD • MILPITAS, CA 95035 • USA

PHONE (408) 945-8600 TOLL FREE (800) 934-2766 E-MAIL sales@adaptec.com
 FAX (408) 262-2533 URL http://www.adaptec.com

HOST ADAPTERS TESTED

AHA-1540/2/F/P

Analogic Corporation

DASM-VIP

The DASM-VIP Video Image Processor combines a video frame grabber and a 33-Megaflop DSP into an external unit that attaches to a SCSI port. The DASM-VIP acquires, processes and displays 24-bit color or 8-bit monochrome video images. Imaging functions can run on the DSP using an on-board real-time operating system. The DASM-VIP is a cost-effective solution for commercial OEM and scientific applications. Captures at 30fps from RGB, NTSC, S-Video or RS-170 video sources. Supported on DOS, Windows and UNIX operating systems.

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Canada
UK
USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

8 CENTENNIAL DRIVE • PEABODY, MASS 01960 • USA

PHONE (508) 977-3000

E-MAIL

FAX (508) 977-6813

URL

HOST ADAPTERS TESTED

AHA-1510
 AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W

Binary Image Pty Ltd.

TELEMEDICINE

Telemedicine is based on the 'genuine' Intel microcomputer and the Microsoft Windows operating system. It provides the ability to digitally capture, archive, transmit, network, enhance and print images from all diagnostic imaging modalities, including x-ray, pathology, C.T., ultrasound, M.R.I., and nuclear medicine.

LANGUAGE(S) SUPPORTED

English, and Arabic

PRODUCTS AVAILABLE IN

Australia, Saudi Arabia, USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows NT	•	•	•	•	•		•		•	•	•		
Win for Wkgr	•	•	•	•	•		•		•	•	•		
Windows 95	•	•	•	•	•		•		•	•	•		
DOS 6.0						•		•					

184 WARRIGAL ROAD • OAKLEIGH, VICTORIA 3166 • AUSTRALIA

PHONE 61-3-9563-8699

E-MAIL baker@melbpc.org.au

FAX 61-3-9563-7446

URL

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2
AHA-1540/2/F/P
AHA-2840/2VL
AHA-2940/4/W

Cirrus Technology, Inc.

UNITE

Unite® 3.0 is a PC LAN-based document/image management system based on the OS/2 operating system and the Presentation Manager interface.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
OS/2	•		•	•	•	•		•				•	

5301 BUCKEYSTOWN PIKE, 4TH FLOOR • FREDERICK, MD 21701 • US

PHONE (301)698-1900

E-MAIL

FAX (301)698-1909

URL

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2
AHA-1540/2/F/P
AHA-2940/4/W

Cirrus Technology, Inc.

UNITELITE

UniteLite is a folder and document management application designed for personal or small workgroup use.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
OS/2	•		•	•	•	•							•

5301 BUCKEYSTOWN PIKE, 4TH FLOOR • FREDERICK, MD 21701 • US

PHONE (301)698-1900

E-MAIL

FAX (301)698-1909

URL

HOST ADAPTERS TESTED

AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640

Corel Corporation

CORELSCSI PRO

CorelSCSI Pro® is a high-performance software product designed to maximize SCSI performance. CorelSCSI Pro provides: support for SCSI scanners to scan images into any TWAIN-compliant graphics program; a CD-ROM server application that allows network users to retrieve recently-accessed information with essentially no delay; and a utility that writes information to a compact disc using a CD-Recorder. These features and others are available using an intuitive and friendly interface.

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

		CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
OS/2	2.0	•		•	•				•					
Windows	3.0+	•	•	•	•	•		•	•		•			
NetWare	3.11	•		•	•		•		•					
DOS	5.0	•	•	•	•	•		•	•					

1600 CARLING AVENUE • OTTAWA, ONTARIO K1Z 8R7 • CANADA

PHONE (613) 728-8200

TOLL FREE (800) 836-7274

E-MAIL

FAX (613) 728-9790

URL

HOST ADAPTERS TESTED

AHA-1510
 AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640

Courtland Group, Inc.

COURTLAND INTELLIGENT IMAGE CACHING SYSTEM

The Courtland Intelligent Image Caching System (IICS) is designed for multiuser and jukebox-based optical imaging systems. IICS eliminates the workflow bottlenecks which occur when there are multiple requests for images or when optical redirectors are needed. The IICS system performs three simultaneous tasks: operating as an image caching server, high-speed print server, and network FAX server. IICS operates on Courtland's popular Ultra PLUS and Ultra optical platforms in either DOS or Windows and interfaces with a wide range of optical drives and jukeboxes. IICS is also available in a 'remote' version for support of additional jukebox, faxing or high-speed printing locations.

LANGUAGE(S) SUPPORTED

Chinese, English, Spanish

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows	•		•	•		•	•	•	•		•		
DOS	•		•	•		•	•	•	•		•		

10500 LITTLE PATUXENT PKWY SUITE 850 • COLUMBIA, MD 21044 • US

PHONE (410) 730-7668
 FAX (410) 730-8271

E-MAIL
 URL

HOST ADAPTERS TESTED

APA-348
 APA-358
 AHA-1510
 AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2840/2VL

Danmar Systems, Inc.

SCSISCAN

SCSISCAN™ software consists of an ASPI module which allows an HP ScanJet® Iic, HP ScanJet Iicx, or HP ScanJet IIP scanner to be controlled directly from an Adaptec® SCSI host adapter. The driver allows applications that are compatible with the HP driver and controller to be used with non-HP controllers. This design frees up a slot in the computer and also increases performance. The SCSISCAN driver uses only 4K of RAM and can be loaded into high memory (UMBs) using most popular memory managers. The retail price of the SCSISCAN software is \$89.95. An OS/2 version of the software is also available.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

OS/2	•
DOS	•
Windows	•

6031 S.W. 128 COURT • MIAMI, FL 33183 •

PHONE (305) 388-4671

E-MAIL

FAX (305) 388-5326

URL

HOST ADAPTERS TESTED

AHA-1510

Fast Forward Video

OUTLAW/BANDIT

Bandit™, the first product in the Outlaw series, is a digital peripheral device that interfaces to a variety of host computers (PC, Macintosh, SGI, Amiga). Animators can transfer image files directly to Bandit via SCSI, then play the sequence in real time, eliminating the need for expensive single-frame VTRs and controllers. It uses JPEG compression.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

18200-C WEST MCDURMOTT • IRVINE, CA 92714 • USA

PHONE (714) 852-8404

E-MAIL

FAX (714) 852-1226

URL

HOST ADAPTERS TESTED

AHA-1520/2
AHA-1540/2/F/P

Image Machines

IMAGECENTER

IMageCenter is a full-featured imaging software for large-format documents. IMageCenter capabilities include raster editing, redlining, CAD overlays and batch processing of A-J size documents. IMageCenter offers easy integration of your favorite Adaptec SCSI device through their Advanced SCSI Programming Interface (ASPI). IMageCenter supports the Vidar TruScan and Contex FSS large-format scanners. IMageCenter also supports the Photomatrix & Vidar Aperture Card Scanners and high-speed, small-format scanners like the Fujitsu M3096GX. In addition, all TWAIN compatible scanners are supported.

LANGUAGE(S) SUPPORTED

English, French, German,
Norwegian, and Korean

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows •

590 HERNDON PARKWAY • HERNDON, VA 22070 • USA

PHONE 703-709-7475

E-MAIL

FAX 703-709-8966

URL

HOST ADAPTERS TESTED

AVA-1505
 AHA-1510
 AVA-1515
 AHA-1640
 AHA-2940/4/W

Image Technologies Developments

WISP-PS

PostScript Level 2 interpreters and drivers for over 60 different colour and monochrome copiers/printers. Implementations using Fast and Wide SCSI offer considerably increased printing/scanning speeds compared with standard SCSI 1 & 2 interfaces, both are supported. Wisp-PS offers PrintServer capabilities thereby facilitating both multiple printing devices from a single PrintServer and sharing of SCSI printers for printing over both local and wide area networks. ITD specializes in writing device drivers for SCSI devices, be they printers or scanners under Windows 95 and NT and offers manufacturers and distributors programming expertise and advice on how to maximize the efficiency of their SCSI printing devices.

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Australia
 China
 Germany
 Italy
 Pacific Rim
 UK
 USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows NT											•	•	
Windows 3.11											•	•	
Windows 95											•	•	

PYRAMID HOUSE 1 MARTINDALE ROAD • HOUNSLOW WEST, MIDDLESEX, TW4 7EW • UK

PHONE 44-181-572-5900
 FAX 44-181-572-5188

E-MAIL
 URL

HOST ADAPTERS TESTED

AHA-1510
 AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640

Image-In Incorporated

IMAGE-IN COLOR PROFESSIONAL

Image-In Color Professional offers the most advanced scanning, image editing and photo retouching tools available. Mask unique areas with the resize, add, subtract, intersect, and inverse options. Powerful tool options include control of size, shape and pressure (including Windows for Pen), spacing, fadeout, paint mode, repeat rate and tool edge with the right mouse button feature. Over 20 special effect and photographic filters are included. Color separate images. Over 50 scanners are supported, as well as Twain compliant scanners. Import images from the Kodak PhotoCD, as well as TIFF, PCX, BMP, GIF, TGA, and JPEG files. Supports the Kodak XL/7700 and XLT 7720 printers through a direct export module.

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows NT

•

Windows

•

1820 GATEWAY DRIVE BUILDING 3, SUITE 370 • SAN MATEO, CA 94404 • USA

PHONE (415) 358-8500

E-MAIL

FAX (415) 358-9535

URL

HOST ADAPTERS TESTED

AHA-1520/2
AHA-1540/2/F/P

Interlinear Technology, Inc.

AEDIS

AEDIS (Agile Electronic Document Information Solution) is an open and distributed UNIX-based electronic data management system. Functions include file search, revision control, archiving, and access security. Document work-flow features include user-configurable review, approval, and routing procedures for documents, drawings of any size, faxes, photos, folders (groups of files), etc. AEDIS software modules integrate with a wide variety of commercially available hardware, relational databases, and off-the-shelf software packages. AEDIS utilizes client/server architecture, distributing data processing loads across TCP/IP networks, and supports X and MS Windows user interfaces. Compliant with the CALS, type II (TRIF) raster image standard.

LANGUAGE(S) SUPPORTED

English, French, Japanese, and Korean

PRODUCTS AVAILABLE IN

France
Japan
Korea
USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
UNIX	•	•	•	•	•	•							•
DOS													•

1420 HARBOR BAY PARKWAY SUITE 281 • ALAMEDA, CA 94502 • USA

PHONE (510) 522-5077

E-MAIL augie@ilt.com

FAX (510) 522-1228

URL

HOST ADAPTERS TESTED

AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640

Koch Software Industries, Inc.

IMAGE AWL

ImageAWL® is a device- independent API for scanners, designed to provide a seamless union between imaging hardware and software. By policing the device in multitasking and multiuser environments, it relieves the device conflicts with multiple applications or users, and prevents system lock outs when these conflicts arise.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
OS/2 2.0													
Windows 3.1										•			
Windows NT										•			

P.O. BOX 3194 1097 GLENCREST DRIVE • BANNINGTON, IL 60010 • USA

PHONE (708) 304-5544

E-MAIL

FAX (708) 304-4624

URL

HOST ADAPTERS TESTED

AHA-1510
 AHA-1520/2
 AHA-1540/2/F/P

Laser Today International, Inc.

LASERLINK

LaserLink™ CJ-10 for Windows is an application specifically designed for Canon CJ-10 (CLC/10) digital color copier. The features include: scanning and printing 400 dpi full-page color images; built-in color correction to adjust RGB; contrast; brightness; and gamma for both scan and print. Support for popular industry image file formats includes: BMP, TIFF, Targa and PCX. The built-in page layout function supports multiple-image layout in one page.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Europe
 Japan
 Korea
 Taiwan
 USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows

•

1924 OLD MIDDLEFIELD WAY • MOUNTAIN VIEW, CA 94043 • USA

PHONE (415) 961-3015

E-MAIL

FAX (415) 961-7631

URL

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2
AHA-1540/2/F/P

Laser Today International, Inc.

COLORLINK

ColorLink™ for Windows is an application designed for the Canon CJ-10 (CLC-10) digital color copier. Capabilities include: scanning and printing 400-dpi color images, faxing color images from CJ-10 flat-bed scanner, video source or the image files from the hard disk in the computer. After receiving the color FAX, the software can print the image right away, save it to print later, etc. It supports TIFF, Targa, BMP, PCX and RGB file formats.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Europe
Japan
Korea
Taiwan
USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows

•

1924 OLD MIDDLEFIELD WAY • MOUNTAIN VIEW, CA 94043 • USA

PHONE (415) 961-3015

E-MAIL

FAX (415) 961-7631

URL

HOST ADAPTERS TESTED

AHA-1540/2/F/P
AHA-2740/2/4/T/W
AHA-2940/4/W
AHA-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Logicraft Information Systems

THE JUKEBOX MANAGER

The Jukebox Manager™ option for Logicraft's LanCD™ network server software provides a versatile solution for networked access to archived CD-ROM storage. It is modular in design, hardware independent and non-vendor specific for jukebox support. Features include Document Image Management, static directory or platter caching and DDC (dynamic hard disk cache), asynchronous access, multiple jukebox support, Intelligent Optical Reader Selection, local on-line management, and support for up to 1280 platters and 56 readers per LanCD server. With up to 10 servers per client, each user could have access to more than 12 thousand CD-ROM discs.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logicraft.com

FAX (603) 880-7229

URL <http://www.logicraft.com>

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-3940/W

Logicraft Information Systems

FASTCD, LANCD

FastCD™ is an option available with Logicraft's LanCD™ networking software for providing multiple concurrent access to CD-ROM applications in a multi-platform, multi-protocol networking environment. FastCD creates "virtual CD-ROM discs" on fast, high performance SCSI hard drives by caching the entire contents of a CD-ROM in its native format onto a FastCD partition of the hard disk, providing users with easy access to their CD-ROM applications at hard disk speeds up to 300 times faster than standard CD-ROM drives. FastCD software includes comprehensive status reports, multimedia support, and asynchronous disk access for higher throughput during multiple concurrent accessing.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AHA-2740/2/4/T/W

Logicraft Information Systems

CDEXECUTIVE CD-ROM NETWORK SERVER

The CDexecutive™ /XF5500 CD-ROM network server provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high performance CDexecutive Management Center software that automatically monitors and manages CD-ROM applications as a background Windows NT service. Client support includes Windows 95, Windows for Workgroups, Macintosh and NetWare clients. The XF server holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. It runs at 120MHz, has 32MB of RAM and supports up to 56 SCSI devices.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Logicraft Information Systems

LANCD CD-ROM NETWORK SERVERS

The LanCD™/XF family of CD-ROM network servers provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high performance LanCD and FastCD™ software that supports DOS, Windows and Windows 95 clients. Optional support is available for Windows NT and Macintosh clients. Each chassis holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. The XF5300 runs at 75MHz, has 16MB of RAM and expands to 28 drives. The XF5500 runs at 120MHz, has 32MB and supports up to 56 drives.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AHA-1520/2
AHA-1540/2/F/P
AHA-2940/4/W
AHA-2940U/UW

Lookout Geophysical Company

SEISCOPE/SEASCOPE

Subsurface geo-technical images (Seismic, sonar, ground penetrating radar, etc.) are processed and displayed in real time and written to SCSI tape drives (4mm, 8mm, DLT, 3480) and processed from tape after acquisition.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows		•			•						•	•	
DOS		•			•						•	•	

433 PARK POINT DRIVE SUITE 250 • GOLDEN, CO 80401 • USA

PHONE 303-526-5108

E-MAIL vgoebel@aol.com

FAX 303-526-5150

URL

HOST ADAPTERS TESTED

APA-1460
AHA-1520/2

Lynx System Developers, Inc.

FINISHLYNX

FinishLynx™ is the first film-less, fully digital “photo-finish” system. FinishLynx is a SCSI peripheral which, when attached to your PC, allows the user to time and generate results for track & field, cycling, speedskating, horse racing, and other competitive events. On-screen image processing without developing film, along with instant integration into an entrant database allow users to generate results quickly and accurately. The high bandwidth of SCSI allows input from multiple image sources to be captured simultaneously and in real time. Use of the SCSI standard enables easy platform independence.

LANGUAGE(S) SUPPORTED

English, French, Spanish

PRODUCTS AVAILABLE IN

Canada
International
USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows NT	•
Windows 95	•
DOS	•

2B MERRIMAC STREET • WOBURN, MA 01801 • USA

PHONE (617) 935-6959	TOLL FREE (800) 989-LYNX	E-MAIL info@finishlynx.com
FAX (617) 938-0580		URL http://www.finishlynx.com

HOST ADAPTERS TESTED

AHA-2740/2/4/T/W
AHA-2940/4/W
AHA-2940U/UW

Matrox Electronic Systems Ltd.

MATROX STUDIO PERSONAL PRODUCER XPRESS

The Matrox Studio video editing system provides linear and nonlinear video editing for professionals.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

DOS

•

Windows

•

1055 ST. REGIS BOULEVARD DORVAL • MONTREAL, QUEBEC H9P 2T4 • CANADA

PHONE (514) 685-2630

E-MAIL

FAX (514) 685-7030

URL <http://www.matrox.com/>

HOST ADAPTERS TESTED

AHA-2740/2/4/T/W
AHA-2940/4/W
AHA-2940U/UW

Matrox Electronic Systems Ltd.

MATROX DIGITAL VIDEO BUILDING BLOCKS

The Matrox Digital Video Building Blocks (DVBB) are PC-based hardware and software that let developers design applications that require the storage and retrieval of digital video and audio.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

DOS

•

Windows

•

1055 ST. REGIS BOULEVARD DORVAL • MONTREAL, QUEBEC H9P 2T4 • CANADA

PHONE (514) 685-2630

E-MAIL

FAX (514) 685-7030

URL <http://www.matrox.com/>

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-3940/W

Maxoptix Corporation

T4-2600

The T4-2600 is a new 5.25" multifunction optical disk drive with 2.6GB capacity. It provides unlimited transportable storage at an excellent value, offering unparalleled reliability, a fast seek rate up to 4.0 MB/second transfer rate and with 1 read/write cache, it delivers an outstanding performance. The T4-2600 drive conforms to ISO specifications and accepts three ISO standard media formats - 2.6GB, 1.3GB and 650MB.

This drive is reliable, affordable and high performance. The media can be written and erased more than 10,000,000 times.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS		•			•								
Windows		•			•								

3342 GATEWAY BLVD. • FREMONT, CA 94538 • USA

PHONE (510) 353-9700 TOLL FREE (800) 848-3092 E-MAIL
 FAX (510) 353-1845 URL

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-3940/W

Maxoptix Corporation*MAXLYB*

The Maxoptix MaxLyb family of optical auto changers utilizes the T4-2600 drives to deliver high performance and reliable specifications. The MaxLyb family covers a wide range of capacities - 26GB to over 600GB, which ensures the most useful library is available for a variety of applications.

With the MaxLyb family of optical storage libraries, Maxoptix offers the widest selection of optical library solutions and fills the price-performance gaps left by other storage technologies. With the fastest on-line access to stored data and information, they are the logical choice for those who need top performance, demonstrated reliability and future expandability at competitive prices.

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

3342 GATEWAY BLVD. • FREMONT, CA 94538 • USA

PHONE (510) 353-9700

TOLL FREE (800) 848-3092

E-MAIL

FAX (510) 353-1845

URL

HOST ADAPTERS TESTED

AHA-1520/2
AHA-1540/2/F/P
AHA-2740/2/4/T/W

Optical Document Technologies

DOCUMANAGER

DocuManager® is a document management solution. DocuManager software provides GUI-based document scanning, indexing, storage, and retrieval services. It has an optional set of image-enabling customization tools called KeyStuffer. Typically, the software is integrated with high performance hardware to provide a complete system. With DocuManager, customers transform paper documents into electronic images, and then create automated work processes or filing systems. The primary benefits of using DocuManager are significant cost savings and increased process productivity.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows	•	•	•	•	•	•			•	•	•	•	

9390 RESEARCH BLVD., SUITE 415 • AUSTIN, TX 78759 •

PHONE (512) 794-9792
FAX (512) 794-0393

E-MAIL
URL

HOST ADAPTERS TESTED

AHA-1520/2
 AHA-1540/2/F/P
 AHA-2740/2/4/T/W
 AHA-2940/4/W

Optical Document Technologies

JBC OPTICAL DISK MANAGER

JBC™ is a Windows NT based-application for optical jukebox control. JBC is an API-based system that provides highly optimized sector level writing to optical media. This provides outstanding system throughput regardless of the number of image files on the media. JBC manages all aspects of the storage and retrieval of data on optical media over networks and internetworks, including data queuing and distributed caching.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows	•	•	•	•	•	•			•	•	•	•	
Windows NT	•	•	•	•	•	•			•	•	•	•	

9390 RESEARCH BLVD., SUITE 415 • AUSTIN, TX 78759 •

PHONE (512) 794-9792
 FAX (512) 794-0393

E-MAIL
 URL

HOST ADAPTERS TESTED

AHA-1510
 AVA-1515
 AHA-1540/2/F/P
 AHA-2740/2/4/T/W
 AHA-2940/4/W

Paabo Consulting Group AB

JVC CD-R

The JVC CD-R is a CD-ROM burner/reader for integration with PCG Software into PC -- networks or standalone machines. The JVC CD-R can be used directly for MPEG-1 compressed video recording. Playback is done over the SCSI interface.

LANGUAGE(S) SUPPORTED

English, Swedish

PRODUCTS AVAILABLE IN

Denmark
 Norway
 Sweden

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows 95	•												
DOS	•				•								
Windows	•				•								
Windows NT	•												

P.O. BOX 6144 NYA TANNEFORSVAGEN 55 • S-58006 LINKOPING, • SWEDEN

PHONE 46-13-100-500

E-MAIL

FAX 46-13-103-013

URL

HOST ADAPTERS TESTED

AHA-1520/2
AHA-1540/2/F/P

Paperclip Imaging Software, Inc.

PAPERCLIP

PaperClip for Windows is a Windows-based software application for standalone-and network-based users. It provides an integrated solution to easily organize and manage a wide range of information, including word processing, spreadsheet and multimedia files, faxes, and scanned documents - all within a user-definable folder structure.

Users can retrieve documents and folders directly from any off-the-shelf or custom-built application, as well as via host-based terminal emulation programs. An intuitive file cabinet interface provides a seamless system to centrally store information scattered throughout directories and in file cabinets. Application files and scanned documents stored in PaperClip can be viewed on-the-fly, without manually launching the associated software.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS	•			•		•				•	•		
NetWare			•			•			•		•		
Windows	•			•						•	•		

3 UNIVERSITY PLAZA • HACKENSACK, NJ 07601 •

PHONE 201-487-3503

E-MAIL

FAX 201-487-0613

URL

HOST ADAPTERS TESTED

APA-348
AHA-1540/2/F/P
AHA-2940/4/W

Paperless Corporation

PAPERLESS FILER 2.3

PaperLess Filer™ 2.3 electronic document storage software allows MS-DOS PC users to manage, display, print and FAX scanned document images. PF 2.3 software works with the user's PC to electronically file large quantities of paper or FAX documents. PF 2.3 uses intelligent software compression, enabling documents to be compressed while being scanned in order to reduce storage requirements. PF 2.3 can decompress and display documents instantly. Features include zoom, pan, and rotate on display; plain paper output; optical disk support; FAX board support; and TIFF/PCX file import/export. PF 2.3 supports all MS-DOS-compatible storage devices, and more than 20 different scanners.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS	•	•	•	•	•	•	•	•	•	•	•	•	•

1750 NORTH COLLINS SUITE 104 • RICHARDSON, TX 75080 • US

PHONE (214) 235-4008
FAX (214) 680-2566

TOLL FREE (800) 658-6486

E-MAIL paper@onramp.net
URL <http://www.onramp.net/~paper>

HOST ADAPTERS TESTED

APA-348
AHA-1540/2/F/P
AHA-2940/4/W

Paperless Corporation

PAPERLESS FILER DOCUMENT IMAGING TOOLKIT

PaperLess Filer™ Document Imaging Toolkit™ allows developers of Clipper, FoxPro and other application programs to add complete document imaging to their applications. The toolkit is a series of MS-DOS-compatible EXE files (modules) that perform various functions. These modules create, display or print compressed bi-tonal image files in Paperless Corporation's proprietary file format. They scan and compress document images on over 40 scanners. They also display document images in graphics mode; print document images on laser printers; and export/import TIFF, PCX and DCX images. Full network support and file sharing are provided.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS	•	•	•	•	•	•	•	•	•	•	•	•	•

1750 NORTH COLLINS SUITE 104 • RICHARDSON, TX 75080 • US

PHONE (214) 235-4008
FAX (214) 680-2566

TOLL FREE (800) 658-6486

E-MAIL paper@onramp.net
URL <http://www.onramp.net/~paper>

HOST ADAPTERS TESTED

APA-348
 AHA-1540/2/F/P
 AHA-2940/4/W

Paperless Corporation

PAPERLESS FILER DOCUMENT IMAGING TOOLKIT FOR WIN32

PaperLess Filer™ 2.3 Document Imaging Toolkit for WIN32 allows developers of Windows NT and Windows 95 applications to add imaging capabilities quickly and easily. The Toolkit consists of OLE Custom Controls and Applications that may be called from any Windows 32 bit application. Offering both OLE Automation and OCX controls allows the developer to add powerful multi-threaded 32 bit imaging software without relying on 16 bit software.

Features include support of Fujitsu, Ricoh and other high speed SCSI scanners, as well as TWAIN based scanners. The Toolkit also includes Windows 95-style controls to display and print images under full application control. The high speed built-in compression and decompression software supports CCITT Group III and IV fax, as well as TIFF, DCX and Microsoft At-Work Fax file formats. Full network support and file sharing is supported.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows NT	•	•	•	•	•	•	•	•	•	•			
Windows 95	•	•	•	•	•	•	•	•	•	•			

1750 NORTH COLLINS SUITE 104 • RICHARDSON, TX 75080 • US

PHONE (214) 235-4008
 FAX (214) 680-2566

TOLL FREE (800) 658-6486

E-MAIL paper@onramp.net
 URL <http://www.onramp.net/~paper>

HOST ADAPTERS TESTED

APA-348
AHA-1540/2/F/P
AHA-2940/4/W

Paperless Corporation

PAPERLESS FILER DOCUMENT VIEWER

PaperLess Filer Document Viewer™ can scan, display and print document images. It can be run as a stand-alone application, as an in-place OLE object, or driven from another program using OLE Automation. Programs that support OLE can insert imaging objects by using PFDV. When invoked from OLE, PFDV adds its imaging capabilities to the application's menus and toolbars. PFDV supports SCSI scanners thru ASPI. Any number of different scan settings can be saved and loaded by type of document. PFDV features the Windows 95 style user interface; including dockable tool-bars, property sheets, drag and drop, context sensitive help and long file names.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows NT

•

Windows 95

•

1750 NORTH COLLINS SUITE 104 • RICHARDSON, TX 75080 • US

PHONE (214) 235-4008

TOLL FREE (800) 658-6486

E-MAIL paper@onramp.net

FAX (214) 680-2566

URL <http://www.onramp.net/~paper>

HOST ADAPTERS TESTED

- APA-1460
- AHA-1510
- AHA-1520/2
- AHA-1530/2P
- AHA-1540/2/F/P
- AHA-1640
- AHA-2840/2VL
- AHA-2940/4/W

Pegasus Disk Technologies

MDMI

The Multiple Drive Management Interface (MDMI™) software package provides access to standalone and daisy-chained optical disk drives or rapidchangers under DOS- and PC-based networks, including all versions of NetWare, Banyan, 3Com®, LAN Manager, LANtastic, OS/2 2.x, 3.x and Warp, Windows 95 and Windows NT. MDMI supports most 5.25- and 12-inch optical disk drives. Data stored on optical disks using MDMI are transportable to jukebox versions of Pegasus software. MDMI treats a single or entire daisy-chain of optical drives as one drive designator under DOS and the network systems supported. Each side of an optical disk platter under the assigned drive letter then appears as a subdirectory and is fully accessible through normal DOS operating system commands.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS			•	•		•		•					
LANMan			•	•		•		•					
Windows NT	•		•	•		•		•					
Windows 95	•		•	•		•		•					
Windows			•	•		•		•					
Vines			•	•		•		•					
OS/2	•		•	•		•		•					
NetWare	•		•	•		•		•					

1600 SOUTH MAIN STREET • WALNUT CREEK, CA 94596 •

PHONE (510) 938-5340
 FAX (510) 938-5341

E-MAIL
 URL

HOST ADAPTERS TESTED

- APA-1460
- AHA-1510
- AHA-1520/2
- AHA-1540/2/F/P
- AHA-1640
- AHA-2840/2VL
- AHA-2940/4/W

Pegasus Disk Technologies

OJMI

The Optical Jukebox Management Interface (OJMI™) software package provides access to optical disk jukeboxes under DOS- and PC- based networks, including all versions of NetWare, Banyan, 3Com, LAN Manager, LANtastic, IBM OS/2 2.x, 3.x, and Warp, Windows 95 and Windows NT. OJMI supports most 5.25- and 12-inch optical disk jukeboxes. Data stored on optical disks using MDMI are transportable to jukebox versions of Pegasus software. OJMI treats an entire optical disk jukebox as one drive designator under DOS and the network systems supported. Each side of an optical disk platter in the jukebox appears as a subdirectory and is fully accessible through normal DOS operating system commands.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare			•	•		•		•					
LANMan			•	•		•		•					
OS/2	•		•	•		•		•					
Vines			•	•		•		•					
Windows			•	•		•		•					
Windows 95			•	•		•		•					
Windows NT			•	•		•		•					
DOS			•	•		•		•					

1600 SOUTH MAIN STREET • WALNUT CREEK, CA 94596 •

PHONE (510) 938-5340
 FAX (510) 938-5341

E-MAIL
 URL