

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2
AHA-1540/2/F/P
AHA-1640
AHA-2740/2/4/T/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Cactus International, Inc.

LONE-OPTIMIZER

LONE-OPTIMIZER is a UNIX and Xenix disk optimizer that increases the speed of your system by 20% to 75%. It is fully menu driven for the UNIX impaired making it extremely easy-to-use. The LONE-OPTIMIZER offers a practice mode to let you see exactly what happens before an actual optimization begins. With LONE-OPTIMIZER you can change the high-level interleave on the fly. This feature alone can double system performance. It consolidates all directory information and keeps it next to the inode table for maximum file lookup performance.

13987 WEST ANNAPOLIS COURT • MT. AIRY, MD 21771 • USA

PHONE (301) 829-1622

TOLL FREE (800) 525-UNIX

E-MAIL cowboy@cactus.com

FAX (301) 829-1623

URL

HOST ADAPTERS TESTED

APA-348
APA-358
APA-1460
AHA-1540/2/F/P
AHA-1640
AHA-2940/4/W

LANGUAGE(S) SUPPORTED

English, French

PRODUCTS AVAILABLE IN

Europe

Dassault Electronique

RUGGEDIZED COMPUTER SYSTEMS

Dassault Electronique's Ruggedized Computer Systems are a powerful combination of civil standards and military specifications. The Ruggedized Computer Systems satisfy today's computer systems users and offer easy upgrade and low life cycle cost.

The Dassault Electronique ruggedized computers are used in military programs and also in industrial applications where environmental conditions demand it.

Military applications include:

- Nuclear-missile and attack submarines, patrol boats, and surface ships
- On-board electronic-mail systems
- Test systems in helicopters
- Message or radio terminals in vehicles
- On-board acquisition systems in military vehicles

Industrial applications include:

- On-board acquisition systems in test vehicles or prototypes
- Power stations, control or machine tools
- Measurements and calibration systems in nuclear power stations
- Acquisition control station for on-board measurement on planes
- Data transmission systems on networks or over radio links

55 QUAI MARCEL DASSAULT • SAINT CLOUD 92214, • FRANCE

PHONE 331-34-81-47-39

E-MAIL

FAX 331-49-11-83-90

URL

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2

LANGUAGE(S) SUPPORTED

English, French, German, Italian,
Spanish, and Russian

PRODUCTS AVAILABLE IN

Canada, England, Germany,
Holland, USA, Western Europe

Delphi Data

TESTBOX

The TestBox™ series of testers provides a simple, low cost solution for most test environments. Adaptec controllers are combined with hardware and software to provide a flexible tool for in-coming inspection, reliability, error injectors, fault-analysis, SCSI protocol conformance and benchmark testing of high performance devices.

9069 CAJALCO ROAD • CORONA, CA 91719 •

PHONE (909) 279-7955

TOLL FREE (800) -DELPHI5

E-MAIL 76470.1544@compuserve.com

FAX (909) 279-7957

URL

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2
AHA-1540/2/F/P
AHA-1640
AHA-2740/2/4/T/W
AHA-2840/2VL
AHA-2940/4/W

LANGUAGE(S) SUPPORTED

English, French, German, Italian,
Japanese, Spanish

PRODUCTS AVAILABLE IN

Europe
Canada
Pacific Rim
South America
USA

DiagSoft, Inc.

QAPLUS/FE, QAPLUS/FACTORY

The QAPlus family of products provide direct SCSI and ASPI compliant disk, tape and CD-ROM diagnostics and product identification reports for manufacturing, compatibility and support interests.

5615 SCOTTS VALLEY DRIVE SUITE 140 • SCOTTS VALLEY, CA 95066 •

PHONE (408) 438-8247

TOLL FREE 1-800-342-4763

E-MAIL sales@diagsoft.com

FAX (408) 438-7113

URL

HOST ADAPTERS TESTED

APA-1460
AVA-1505
AHA-1510
AVA-1515
AHA-1520/2
AHA-1530/2P
AHA-1540/2/F/P
AHA-1640
AHA-2740/2/4/T/W
AHA-2840/2VL
AHA-2940/4/W
AHA-3940/W

LANGUAGE(S) SUPPORTED

English, German, Japanese

PRODUCTS AVAILABLE IN

Worldwide

Digital Instrumentation Technology

TRANSFERPRO

TransferPro™ allows you to read and write Macintosh files directly from your PC. TransferPro is a fast and easy file transfer solution. TransferPro reads, writes and formats Macintosh media including SyQuest™, Bernoulli™, Iomega™ Zip, data shuttle drives, Pinnacle Micro™, Sony™, MOST™, Ricoh™ and other magneto-optical drives, SCSI hard drives and CD-ROM drives. TransferPro features graphics viewers and converters and a high quality, easy to use Windows-based installer with an automatic configuration feature. TransferPro is available for Windows, Windows 95 and Windows NT.

-
-
-
-

127 EASTGATE DR. #20500 • LOS ALAMOS, NM 87544 •

PHONE (505) 662-1459 TOLL FREE (800) 467-1459 E-MAIL tpro-request@dit.com
FAX (505) 662-0897 URL <http://www.dit.com>

HOST ADAPTERS TESTED

AHA-1530/2P
AHA-1540/2/F/P
AHA-2940/4/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Everex Systems, Inc.

EXPLORA

The Everex Explora Integrated all-in-one computer makes compromise a thing of the past in a one piece unit. The Explora supports Pentium® processors and features a built-in, 15", 0.28 dot pitch non-interlaced monitor. With up to 128 MB RAM and five expansion slots (up to two PCI), the Explora provides true upgradability while offering the space and installation advantages of a one-piece system. With built-in stereo sound and speakers the Explora comes multimedia ready. An optional base pedestal provides more powerful speakers and 3D surround sound.

5020 BRANDIN COURT • FREMONT, CA 94538 • USA

PHONE 1-800-EVEREX1

TOLL FREE 1-800-EVEREX1

E-MAIL sales@everex.com

FAX 510-683-2186

URL <http://www.everex.com>

HOST ADAPTERS TESTED

AHA-1540/2/F/P
AHA-2940/4/W

Everex Systems, Inc.

TEMPO PCI 486

Advanced PCI Local Bus graphics and disk control, plus 100 or 120 MHz Am486DX4 or 133 MHz AmX5 processors, make the Tempo PCI 486 systems the fastest 486s on the market. Available as a desktop or midtower. Designed for Windows 95 certification ensures flawless performance in the 32-bit environment. The Tempo PCI 486 offers the most performance for the dollar in the business market today.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

5020 BRANDIN COURT • FREMONT, CA 94538 • USA

PHONE 1-800-EVEREX1

TOLL FREE 1-800-EVEREX1

E-MAIL sales@everex.com

FAX 510-683-2186

URL <http://www.everex.com>

HOST ADAPTERS TESTED

AHA-1530/2P
AHA-1540/2/F/P
AHA-2840/2VL

Everex Systems, Inc.

TEMPOSTATION

The TempoStation is ideal for users looking for powerful, reliable and economical solutions, offering high power and extreme reliability in a slim desktop case. This Windows 95 compatible system is the ideal personal workstation or LAN station. It supports 486DX2 processors, and features integrated video, disk control and I/O functions. This nonsense business computer is the perfect workstation for any office.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

5020 BRANDIN COURT • FREMONT, CA 94538 • USA

PHONE 1-800-EVEREX1

TOLL FREE 1-800-EVEREX1

E-MAIL sales@everex.com

FAX 510-683-2186

URL <http://www.everex.com>

HOST ADAPTERS TESTED

AHA-1520/2
AHA-1540/2/F/P

Everex Systems, Inc.

TEMPO VLG DESKTOP

The Tempo VLG Desktop is a high performance VESA Local Bus system for graphics, multimedia, CAD, DTP and other demanding, high-end applications. Also available as a mid tower, the system supports all 486-class processors up to the 5x86-133, up to 128MB RAM and up to 1MB cache, providing more than enough horsepower for business multimedia.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

5020 BRANDIN COURT • FREMONT, CA 94538 • USA

PHONE 1-800-EVEREX1

TOLL FREE 1-800-EVEREX1

E-MAIL sales@everex.com

FAX 510-683-2186

URL <http://www.everex.com>

HOST ADAPTERS TESTED

AHA-1540/2/F/P
AHA-2740/2/4/T/W
AHA-2940/4/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Everex Systems, Inc.

STEP DP

The Everex STEP DP is an EISA/PCI dual-Pentium® Symmetrical Multi Processing (SMP) solution, built with the quality and reliability only Everex can provide. The STEP DP adds PCI to EISA, supports Windows-NT, Solaris, OS/2 SMP or SCO MPX solution and is an ideal graphical workstation, CAD drafting station or as a departmental server. The system is also available as a single processor system, letting you upgrade to SMP when ready.

5020 BRANDIN COURT • FREMONT, CA 94538 • USA

PHONE 1-800-EVEREX1

TOLL FREE 1-800-EVEREX1

E-MAIL sales@everex.com

FAX 510-683-2186

URL <http://www.everex.com>

HOST ADAPTERS TESTED

AHA-2940/4/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Everex Systems, Inc.

STEP SP

The Everex STEP SP provides entry-level and mid-range Pentium® processor solutions, built with the quality and reliability only Everex can provide. The "Designed for Windows 95" STEP SP offers exceptional price-performance at the entry-level. Supporting up to 133 Mhz processors, the STEP SP comes with up to 128MB RAM and 1MB cache for exceptional performance. The system comes with a three year limited warranty.

5020 BRANDIN COURT • FREMONT, CA 94538 • USA

PHONE 1-800-EVEREX1

TOLL FREE 1-800-EVEREX1

E-MAIL sales@everex.com

FAX 510-683-2186

URL <http://www.everex.com>

HOST ADAPTERS TESTED

AHA-1530/2P
AHA-1540/2/F/P
AHA-2940/4/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Everex Systems, Inc.

STEP PRO

The STEP Pro is a high-end Pentium® processor solution. The "Designed for Windows 95" system features the high-performance Triton chip set and delivers support for 133 MHz processors and beyond, plus EDO DRAM and pipeline burst SRAM for exceptional performance. With up to 128MB RAM and up to seven drive bays in a full tower configuration, the STEP Pro is ideal for use as a high-end system or server. The system comes with a three year limited warranty.

5020 BRANDIN COURT • FREMONT, CA 94538 • USA

PHONE 1-800-EVEREX1

TOLL FREE 1-800-EVEREX1

E-MAIL sales@everex.com

FAX 510-683-2186

URL <http://www.everex.com>

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2
AHA-1540/2/F/P
AHA-2940U/UW

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Canada
Germany
UK
USA

Fischer International Systems Corp

SAFEBOOT

SafeBoot™ provides two factor access control, complete disk encryption and virus protection. SafeBoot consists of SmartDisk, which resembles a 3.5" floppy disk, but it's actually a hardware device with its own microprocessor, firmware, memory and operating system that fits into a normal floppy disk drive. SafeBoot is initialized after entering a password at which time an encryption key is then generated. The key is used with the encryption algorithm to encrypt the hard drive. The password, key and encryption algorithm remain resident on the SmartDisk. The user will not be allowed access to the PC until the SmartDisk is inserted and correct password entered.

4073 MERCANTILE AVENUE • NAPLES, FL 33942 •

PHONE 800-237-4510

TOLL FREE 800-237-4510

E-MAIL

FAX 941-643-6357

URL

HOST ADAPTERS TESTED

AHA-1540/2/F/P
AHA-1640
AHA-2740/2/4/T/W
AHA-2840/2VL
AHA-2940/4/W

LANGUAGE(S) SUPPORTED

English, French, German, Italian

PRODUCTS AVAILABLE IN

Netherlands
Switzerland
Italy

GEVA Datentechnik GmbH

X/EASY

GEVA designs and develops innovative solutions for electronic data exchange and produces highgrade computer systems according to individual requirements.

Keypoints of GEVA products include:

- *Applications for electronic funds transfer for credit institutions of all sizes,
- *Data carrier exchange for all lines of business, e.g. public administration, industry and the graphics trade,
- *The configuration of bespoke, modular computer systems.

6 JOSEPH-VON-FRAUNHOFER-STR. 3A • 52477 ALSDORF, • GERMANY

PHONE 49-2404 5500-0

E-MAIL

FAX 49-2404 5500-99

URL

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2
AHA-1530/2P
AHA-1540/2/F/P
AHA-2740/2/4/T/W
AHA-2840/2VL
AHA-2940/4/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

Incat Systems, An Adaptec Compa

CD WORKSHOP

CD Workshop™ enables the user to view and analyze a CD-ROM on every level , including tracks, sessions, PVD, path table, hexadecimal data for entire disc, and more.

691 SO. MILPITAS BLVD. • MILPITAS, CA 95035 •

PHONE 408-945-8600

TOLL FREE 800-442-7274

E-MAIL sales@adaptec.com

FAX (408) 262-2533

URL <http://www.adaptec.com>

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2
AHA-1530/2P
AHA-1540/2/F/P
AHA-2740/2/4/T/W
AHA-2840/2VL
AHA-2940/4/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

Incat Systems, An Adaptec Compa

EASY-CD TOOLKIT

Easy-CD Toolkit™ enables C or Visual Basic Programmers to integrate CD-R recording capability into their own applications.

691 SO. MILPITAS BLVD. • MILPITAS, CA 95035 •

PHONE 408-945-8600

TOLL FREE 800-442-7274

E-MAIL sales@adaptec.com

FAX (408) 262-2533

URL <http://www.adaptec.com>

HOST ADAPTERS TESTED

AHA-2740/2/4/T/W
AHA-2940/4/W
AHA-2940U/UW

Matrox Electronic Systems Ltd.

MATROX DIGISUITE

The Matrox DigiSuite™ are hardware and software tools that let developers design professional applications that require the storage and retrieval of digital video and audio. All hardware is PCI/ISA and supports plug and play. Boards are available for Video I/O, Graphic overlay, keying, mixing, 2D DVE and 3D DVE. All software tools are 32-bit and object oriented. Matrox supplies all the tools required to build professional audio/video production equipment.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

1055 ST. REGIS BOULEVARD DORVAL • MONTREAL, QUEBEC H9P 2T4 • CANADA

PHONE (514) 685-2630

FAX (514) 685-7030

E-MAIL

URL <http://www.matrox.com/>

HOST ADAPTERS TESTED

AVA-1505
AHA-1510
AVA-1515
AHA-1520/2
AHA-1530/2P
AHA-1540/2/F/P
AHA-2940/4/W
AHA-2940U/UW

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

France, Germany, Netherlands,
UK, Italy

Rancho Technology, Inc.

RTSDA-USW WIDE FAST20 (ULTRA SCSI) CONVERTER

The RTSDA-USW 16-Bit Wide Fast20 (UltraSCSI) Converter connects a single-ended SCSI device to a differential-ended SCSI device. Two RTSDA-USW converters can be used to extend the SCSI cable length up to 200 feet. Convert to differential-ended SCSI for better noise immunity. The RTSDA-USW converters are plug-and-play, support hot swapping and require no software.

10783 BELL COURT • CUCAMONGA, CA 91730 •

PHONE (909) 987-3966

FAX (909) 989-2365

E-MAIL scsi@rancho.com

URL <http://www.rancho.com>

HOST ADAPTERS TESTED

AVA-1505
AHA-1510
AVA-1515
AHA-1520/2
AHA-1530/2P
AHA-1540/2/F/P

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

France, Germany, Netherlands,
UK, Italy

Rancho Technology, Inc.

RTSDA-W16 WIDE CONVERTER FAMILY

RTSDA-W16 Converters connect single-ended SCSI devices to differential-ended SCSI devices. Two SCSI converters can be used to extend the SCSI cable length up to 200 feet. Convert to differential-ended SCSI for better noise immunity. These converters are plug-and-play, support hot swapping and require no software.

10783 BELL COURT • CUCAMONGA, CA 91730 •

PHONE (909) 987-3966

FAX (909) 989-2365

E-MAIL scsi@rancho.com

URL <http://www.rancho.com>

HOST ADAPTERS TESTED

AVA-1505
AHA-1510
AVA-1515
AHA-1520/2
AHA-1530/2P
AHA-1540/2/F/P

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

France, Germany, Netherlands,
UK, Italy

Rancho Technology, Inc.

RTSDA-PW CD-ROM PERIPHERAL CONVERTER

The RTSDA-PW Converter converts 8-bit single-ended CD-ROM and other peripherals, not available with a differential-ended interface, to a wide differential-ended interface. The RTSDA-PW is the same form-factor of the CD-ROM drive and mounts directly on the drive. RTI converters are plug-and-play, require no software and support hot swapping.

10783 BELL COURT • CUCAMONGA, CA 91730 •

PHONE (909) 987-3966

FAX (909) 989-2365

E-MAIL scsi@rancho.com

URL <http://www.rancho.com>

HOST ADAPTERS TESTED

AVA-1505
AHA-1510
AVA-1515
AHA-1520/2
AHA-1530/2P
AHA-1540/2/F/P

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

France, Germany, Netherlands,
UK, Italy

Rancho Technology, Inc.

RTSDA-HP DAT PERIPHERAL CONVERTER

The RTSDA-HP 8-Bit Converter connects SCSI DAT tape and other peripherals, not available with a differential-ended interface, to a differential-ended interface. The RTSDA-HP is the same form-factor as the 3 1/2 inch DAT drive and mounts directly on the drive. RTI converters are plug-and-play, support hot swapping and require no software.

10783 BELL COURT • CUCAMONGA, CA 91730 •

PHONE (909) 987-3966

FAX (909) 989-2365

E-MAIL scsi@rancho.com

URL <http://www.rancho.com>

HOST ADAPTERS TESTED

AVA-1505
AHA-1510
AVA-1515
AHA-1520/2
AHA-1530/2P
AHA-1540/2/F/P

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

France, Germany, Netherlands,
UK, Italy

Rancho Technology, Inc.

RTREP-2 8 BIT FAST REPEATER

The RTREP-2 8-Bit Fast SCSI Repeater connects a single-ended device to a single-ended device. The RTREP-2 extends the single-ended SCSI bus by a factor of two. The RTREP-2 is plug-and-play, supports hot swapping and requires no software.

10783 BELL COURT • CUCAMONGA, CA 91730 •

PHONE (909) 987-3966

FAX (909) 989-2365

E-MAIL scsi@rancho.com

URL <http://www.rancho.com>

HOST ADAPTERS TESTED

AVA-1505
AHA-1510
AVA-1515
AHA-1520/2
AHA-1530/2P
AHA-1540/2/F/P

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

France, Germany, Netherlands,
UK, Italy

Rancho Technology, Inc.

RTSDA-S2 FAST 8-BIT CONVERTER FAMILY

SCSI Converters connect a single-ended SCSI device to a differential-ended SCSI device. Two SCSI converters can be used to extend the SCSI cable length up to 200 feet. Convert to differential-ended SCSI for better noise immunity. These converters are plug-and-play, support hot swapping and require no software.

10783 BELL COURT • CUCAMONGA, CA 91730 •

PHONE (909) 987-3966

FAX (909) 989-2365

E-MAIL scsi@rancho.com

URL <http://www.rancho.com>

HOST ADAPTERS TESTED

AVA-1505
AHA-1510
AVA-1515
AHA-1520/2
AHA-1530/2P
AHA-1540/2/F/P

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

France, Germany, Netherlands,
UK, Italy

Rancho Technology, Inc.

RTSCSI-2

The RTSCSI-2 Controller chip can be used in SCSI single to differential-ended converter and SCSI repeater designs. The RTSCSI-2 operates with SASI, SCSI-1 through SCSI-3 and Fast20 (Ultra SCSI) designs. These include 8- and 16-bit designs. The RTSCSI-2 allows the OEM to add a SCSI converter or repeater to their own form-factor. The RTSCSI-2 is available in 84-pin PLCC and 100-pin QFP.

10783 BELL COURT • CUCAMONGA, CA 91730 •

PHONE (909) 987-3966

FAX (909) 989-2365

E-MAIL scsi@rancho.com

URL <http://www.rancho.com>

HOST ADAPTERS TESTED

AHA-1540/2/F/P
AHA-2840/2/VL
AHA-2940/4/W
AHA-3940/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Suria Computer Corporation

SURIA MOTHERBOARD FAMILY

The Suria Mainboard family includes some of the most technologically advanced mainboards available today. This family includes a series of 486 mainboards as well as the Pentium mainboards that span the MHz spectrum from 25 DX4 100 and the 60 - 180 MHz respectively. They are available in the combination of VLB, PCI, EISA, and ISA bus connectors. Certain mainboards also feature on-board io's . Our latest edition of Pentium mainboards are available with Plug & Play BIOS that include 'Bridge' Technology used in the latest Adaptec AHA-3940 Controllers.

2691 RICHTER AVENUE SUITE 123 • IRVINE, CA 92714 •

PHONE 714-851-0596

FAX 714-851-0598

E-MAIL

URL

HOST ADAPTERS TESTED

APA-358
AHA-1510
AHA-1520/2
AHA-1540/2/F/P
AHA-2740/2/4/T/W
AHA-2840/2VL
AHA-2940/4/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

TAPEDISK Corporation

TD RAW

TD RAW is a DOS/Windows device driver with utilities designed for cross platform data exchange and data recovery applications. It enables a PC to read a tape, containing RAW data, created on a HP 3000, or other workstation, mini or mainframe computer. The raw data on the tape appears as files on a logical drive. These files can be directly opened with any DOS/Windows/Windows 95 application that can read the data format in the file. An ASCII file, it can be opened by any PC database application. Other advantages of using RAW on a tape drive just like a disk include: large file exchange, compressed file libraries (.zip files), and MultiMedia applications. TD RAW can also read data from corrupted tapes.

2908 FOND DU LAC ROAD • OSHKOSH, WI 54751 •

PHONE (414) 231-3333

TOLL FREE (800) 827-3372

E-MAIL

FAX (414) 233-8699

URL

HOST ADAPTERS TESTED

AHA-1540/2/F/P
AHA-2840/2VL
AHA-2940/4/W
AHA-2940W MAC

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Windsor Technologies, Inc.

PC-TECHNICIAN

PC-Technician™ is professional-level diagnostic software for Intel-based (8088->Pentium) and compatible PCs. Written in assembly language, it has its own proprietary operating system and boot-loader program. PC-Technician will boot the target PC and directly test its hardware without interference from its native operating system (DOS, UNIX, OS/2, Windows NT, etc.). PC-Technician contains over 200 comprehensive tests and functions that can be run in single or continuous mode. PC-Technician is used by service technicians to troubleshoot a malfunctioning PC, certify a repaired PC, burn in a new PC, edit CMOS, or low-level format the fixed disk drive.

130 ALTO STREET • SAN RAFAEL, CA 94901 •

PHONE (415) 456-2200

FAX (415) 456-2244

E-MAIL pcdiags@windsortech.com

URL <http://www.windsortech.com>