

HOST ADAPTERS TESTED

- AHA-1540/2/F/P
- AHA-2740/2/4/T/W
- AHA-2840/2VL
- AHA-2940/4/W
- AHA-2940U/UW
- AHA-3940/W
- AHA-3980/5/W

Adaptec, Inc.

ADAPTEC CI/O

With easy-to-use Adaptec® CI/O™ software, managers can monitor all SCSI peripheral devices connected to servers by Adaptec host adapters.

Using Adaptec CI/O software on any Windows client, managers can remotely monitor the I/O performance of any server on the network from a single central location. Managers can install the latest device drivers from a remote location as well.

Adaptec CI/O software automatically detects failure of any SCSI device on a network server and notifies the manager immediately. With a clear view of I/O traffic, managers can spot bottlenecks and act quickly to balance I/O loads to optimize performance among SCSI devices. Adaptec CI/O improves the manageability of any size network—from a single server to a global network.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare	3.12+	•	•	•	•	•	•	•	•	•	•	•	•

691 SOUTH MILPITAS BOULEVARD • MILPITAS, CA 95035 • USA

PHONE (408) 945-8600 TOLL FREE (800) 934-2766 E-MAIL sales@adaptec.com
 FAX (408) 262-2533 URL http://www.adaptec.com

HOST ADAPTERS TESTED

AHA-1540/2/F/P
AHA-2740/2/4/T/W
AHA-2940/4/W
AHA-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Logicraft Information Systems

THE JUKEBOX MANAGER

The Jukebox Manager™ option for Logicraft's LanCD™ network server software provides a versatile solution for networked access to archived CD-ROM storage. It is modular in design, hardware independent and non-vendor specific for jukebox support. Features include Document Image Management, static directory or platter caching and DDC (dynamic hard disk cache), asynchronous access, multiple jukebox support, Intelligent Optical Reader Selection, local on-line management, and support for up to 1280 platters and 56 readers per LanCD server. With up to 10 servers per client, each user could have access to more than 12 thousand CD-ROM discs.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logicraft.com

FAX (603) 880-7229

URL <http://www.logicraft.com>

HOST ADAPTERS TESTED

AHA-1540/2/F/P
AHA-2740/2/4/T/W
AHA-2940/4/W
AHA-3940/W

Logicraft Information Systems

FASTCD, LANCD

FastCD™ is an option available with Logicraft's LanCD™ networking software for providing multiple concurrent access to CD-ROM applications in a multi-platform, multi-protocol networking environment. FastCD creates "virtual CD-ROM discs" on fast, high performance SCSI hard drives by caching the entire contents of a CD-ROM in its native format onto a FastCD partition of the hard disk, providing users with easy access to their CD-ROM applications at hard disk speeds up to 300 times faster than standard CD-ROM drives. FastCD software includes comprehensive status reports, multimedia support, and asynchronous disk access for higher throughput during multiple concurrent accessing.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AHA-2740/2/4/T/W

Logicraft Information Systems

CDEXECUTIVE CD-ROM NETWORK SERVER

The CDexecutive™ /XF5500 CD-ROM network server provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high performance CDexecutive Management Center software that automatically monitors and manages CD-ROM applications as a background Windows NT service. Client support includes Windows 95, Windows for Workgroups, Macintosh and NetWare clients. The XF server holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. It runs at 120MHz, has 32MB of RAM and supports up to 56 SCSI devices.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Logicraft Information Systems

LANCD CD-ROM NETWORK SERVERS

The LanCD™/XF family of CD-ROM network servers provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high performance LanCD and FastCD™ software that supports DOS, Windows and Windows 95 clients. Optional support is available for Windows NT and Macintosh clients. Each chassis holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. The XF5300 runs at 75MHz, has 16MB of RAM and expands to 28 drives. The XF5500 runs at 120MHz, has 32MB and supports up to 56 drives.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-3940/W

Maxoptix Corporation

T4-2600

The T4-2600 is a new 5.25" multifunction optical disk drive with 2.6GB capacity. It provides unlimited transportable storage at an excellent value, offering unparalleled reliability, a fast seek rate up to 4.0 MB/second transfer rate and with 1 read/write cache, it delivers an outstanding performance. The T4-2600 drive conforms to ISO specifications and accepts three ISO standard media formats - 2.6GB, 1.3GB and 650MB.

This drive is reliable, affordable and high performance. The media can be written and erased more than 10,000,000 times.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows		•			•								
DOS		•			•								

3342 GATEWAY BLVD. • FREMONT, CA 94538 • USA

PHONE (510) 353-9700 TOLL FREE (800) 848-3092 E-MAIL
 FAX (510) 353-1845 URL

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-3940/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Maxoptix Corporation

MAXLYB

The Maxoptix MaxLyb family of optical auto changers utilizes the T4-2600 drives to deliver high performance and reliable specifications. The MaxLyb family covers a wide range of capacities - 26GB to over 600GB, which ensures the most useful library is available for a variety of applications.

With the MaxLyb family of optical storage libraries, Maxoptix offers the widest selection of optical library solutions and fills the price-performance gaps left by other storage technologies. With the fastest on-line access to stored data and information, they are the logical choice for those who need top performance, demonstrated reliability and future expandability at competitive prices.

3342 GATEWAY BLVD. • FREMONT, CA 94538 • USA

PHONE (510) 353-9700

TOLL FREE (800) 848-3092

E-MAIL

FAX (510) 353-1845

URL

HOST ADAPTERS TESTED

- AHA-1510
- AHA-1520/2
- AHA-1540/2/F/P
- AHA-1640
- AHA-2740/2/4/T/W
- AHA-2840/2VL
- AHA-2940/4/W

Meridian Data, Inc.

CD NET SOFTWARE

CD Net™ software provides shared LAN access to CD-ROMs, high performance, integrated data management tools, support for high-capacity configurations, and compatibility with all publised CDs. These features result in lower cost, increased utilization of shared CD resources and easy operation. Versions available for use with Novell NetWare 3.12 & 4.1, Microsoft NT 3.51, Vines 4.0+, and MS-DOS 5.1 based servers, with clients for Windows 95, Windows NT Workstation, Windows 3.x, MS-DOS, and Macintosh.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Canada, Europe, Far East, Pacific Rim, USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
LanMan													•
Macintosh 7.0+													•
Windows NT													•
NetWare 3.11+													•
Vines 4.0+													•
Windows 3.0+													•
Windows 95													•
DOS 3.1+													•

5615 SCOTTS VALLEY DRIVE • SCOTTS VALLEY, CA 95066 •

PHONE (408) 438-3100
 FAX (408) 438-6816

TOLL FREE (800) 767-2537

E-MAIL info@meridian-data.com
 URL <http://www.meridian-data.com>

HOST ADAPTERS TESTED

AHA-1510
 AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-3940/W

LANGUAGE(S) SUPPORTED

English, Japanese

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Novell, Inc.*NETWARE*

Novell's® NetWare® network computing products manage and control the sharing of services, data and applications among computer workgroups, departmental networks and business-wide information systems. NetWare v4.1 provides interoperability, network services, high performance, reliability and security in a network operating system. It utilizes a 32-bit, multitasking architecture and supports DOS, Windows, Macintosh, OS/2 and UNIX workstations. In addition, NetWare v4.1 offers reliability features such as disk duplexing, read-after-write verification and disk mirroring.

122 EAST 1700 SOUTH • PROVO, UT 84606 •

PHONE 800-NETWARE

TOLL FREE 800-NETWARE

E-MAIL

FAX (801)429-2665

URL

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-2840/2VL
 AHA-3940/W

Optisys

GLOBALNET

GlobalNet™ storage servers provide Novell Network access to optical jukeboxes, including CD-ROM, Erasable and WORM (Write Once Read Many) technologies. Notable for its ease of installation, use and its speed.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows	•		•	•		•			•			•	
NetWare	•		•	•		•			•			•	
DOS	•		•	•		•			•			•	

9250 NORTH 43RD AVENUE, SUITE 12 • GLENDALE, AZ 85302 •

PHONE (602) 997-9699

TOLL FREE (800) 327-1271

E-MAIL

FAX (602) 944-4051

URL

HOST ADAPTERS TESTED

AHA-1520/2
 AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Canada
 Germany
 USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare	•					•							
DOS	•												
LanMan	•												
Windows	•												
Vines	•												

Reed Technology & Information Ser

OPTI-NET

The OPTI-NET® product family lets users share information on CD-ROM discs over a local area network. Advanced performance features include server and workstation XMS caching and data prefetch coupled with sophisticated administration features such as remote management and license enforcement. OPTI-NET for MS-DOS supports both Novell and NetBIOS LANs.

OPTI-NET NLM allows the addition of CD-ROM drives onto a Novell NetWare 3.x or 4.x file server. This NetWare Loadable Module (NLM), certified by Novell Labs, extends the functionality of the file server by enhancing the ability to manage and administer CD-ROM drives. This is a fast powerful solution now enhanced for CD jukeboxes and multilingual language support.

OPTI-NET now provides a utility that fully automates CD-ROM applications for Windows clients accessing either a DOS or NLM CD-ROM server. After the initial installation and setup, end-users may launch networked CD-ROM titles by simply clicking on the desired program icon.

OPTI-NET's NLM version also supports the German, French, French Canadian and Spanish languages.

20251 CENTURY BOULEVARD • GERMANTOWN, MD 20874 •

PHONE (301) 428-3700 TOLL FREE (800) 922-9204 E-MAIL HelpDesk@ocs.com
 FAX (301) 428-2903 URL

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-2740/2/4/T/W
 AHA-2840/2VL
 AHA-2940/4/W

S&H Computer Systems, Inc.

TSX-32

TSX-32™ offers the power of real-time, multi-user UNIX operating system with the ease-of-use of DOS. It excels as an application server for DOS (16-bit & DPMI) and 32-bit applications, an NFS file server, a communication server and a printer server. TSX-32 supports up to 256 users and 400 concurrent tasks on a single PC. Or, up to 40 times that number on a TCP/IP LAN or WAN. Add the BBS engine for advanced remote access functionality. Add full Internet connectivity. See the TSX-BBS also listed in this guide.

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Spanish

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS		•			•								
Windows		•			•								

1027 17TH AVENUE SOUTH • NASHVILLE, TN 37212 • USA

PHONE (615) 327-3670

E-MAIL

FAX (615) 321-5929

URL

HOST ADAPTERS TESTED

AHA-1520/2
 AHA-1540/2/F/P
 AHA-2740/2/4/T/W
 AHA-2840/2VL
 AHA-2940/4/W

S&H Computer Systems, Inc.

TSX-BBS

TSX-BBS™ serves remote access connectivity needs ranging from those of a 2-line entertainment BBS to those of an entire corporation. It features full Internet support. TSX-BBS add-ins can be standard DOS applications, DBMSs and tools, as well as BBS “door” programs. It is configured to support one SYSOP and from two to 256 users on one PC. In addition, TSX-BBS can support hundreds of users spread across a TCP/IP LAN or WAN of TSX-BBS servers.

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Norwegian, Portuguese, Swedish, Spanish

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
TSX-32	4.2	•	•	•	•	•	•		•	•			

1027 17TH AVENUE SOUTH • NASHVILLE, TN 37212 • USA

PHONE (615) 327-3670

E-MAIL

FAX (615) 321-5929

URL

HOST ADAPTERS TESTED

Silver Oak Systems, Inc.

IRONCLAD

IronClad® is a highly Windows-integrated security program which provides comprehensive protection for both standalone and networked PCs. IronClad provides both data-security (access control down to the file level, DES/proprietary encryption, keyboard locking, virus prevention, program/data auditing, boot protection, single sign-on and object reuse prevention) and application-security (auto application protection, piracy prevention, public access and file purging).

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Canada
Europe
USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS	•	•	•	•	•	•		•		•			
Windows	•	•	•	•	•	•		•		•			

8209 CEDAR STREET • SILVER SPRING, MD 20910 • USA

PHONE (301) 585-8641

E-MAIL

FAX (301) 588-6484

URL

HOST ADAPTERS TESTED

- AHA-1510
- AHA-1520/2
- AHA-1530/2P
- AHA-1540/2/F/P
- AHA-1640
- AHA-2740/2/4/T/W
- AHA-2840/2VL
- AHA-2940/4/W
- AHA-2940U/UW

SunSoft, Inc.

SOLARIS 2.5 FOR X86

Solaris leads the UNIX operating system market, running on an installed base of more than 2 million systems. It is the fastest, most secure and reliable 32-bit operating system for SPARC, Intel, and Power PC server and desktop systems.

Solaris provides a foundation for highly - integrated enterprise network environments, supporting multi-vendor interoperability and resource sharing. The operating system fits seamlessly into existing computing environments, providing the network management and configuration tools for customers' growing computing needs.

Solaris includes advanced technologies for multithreading, symmetric multiprocessing, integrated TCP/IP-based networking, and centralized network administration tools. And, recognizing the diversity of customer needs, Solaris comes in a series of configurations.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS		•			•								
Windows		•			•								

2550 GARCIA AVENUE • MOUNTAIN VIEW, CA 94043 • USA

PHONE (415) 960-3200

E-MAIL

FAX (415) 336-0555

URL <http://www.sun.com>

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-1640
 AHA-2740/2/4/T/W
 AHA-2940/4/W

TAC Systems

SCSI SHUTTLE

The TAC Systems SCSI Shuttle™ product allows users to access CD-ROMs on DOS/Windows based platforms. Also, our Novell based version installs on any Netware 3.x or 4.x file server without the use of additional drivers or software on the workstations.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Canada
 Japan
 USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS	•					•							
NetWare	3.x, 4.x	•	•			•							
Windows	•					•							

1031 PUTMAN DRIVE • HUNTSVILLE, AL 35816 •

PHONE (205) 721-1976

E-MAIL

FAX (205) 721-0242

URL

HOST ADAPTERS TESTED

AHA-1510
AHA-1520/2
AHA-1540/2/F/P
AHA-1640
AHA-2740/2/4/T/W

The Santa Cruz Operation, Inc.

SCO/OPEN DESKTOP

SCO Open Desktop combines the SCO UNIX System, an advanced GUI, networking, and DOS services in an integrated 32-bit, distributed client/server platform. Both the SCO UNIX System and SCO Open Desktop deliver unprecedented multi-user, multitasking performance on today's 386/486 ISA, EISA, Micro Channel, and multiprocessor systems (with SCO MPX).

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS		•			•								
Windows		•			•								

400 ENCINAL STREET P.O. BOX 1900 • SANTA CRUZ, CA 95061 •

PHONE (408) 425-7222

TOLL FREE (800) SCO-UNIX

E-MAIL

FAX (408) 427-5432

URL

HOST ADAPTERS TESTED

AHA-1540/2/F/P

THEOS Software Corporation

THEOS NETSERVER

THEOS NetServer® is a network operating system that integrates THEOS-based applications seamlessly with Novell and Microsoft platforms, including Windows for Workgroups 3.11, Windows 95 and Windows NT. As a dedicated application server, NetServer can support a mixed Client/Server environment of terminals and graphics workstations, offering centralized data security and fast file access.

The THEOS operating system is primarily used in vertical markets such as Dental, Veterinarian, Alarm Systems and Point-of-Sale.

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Portuguese, Spanish

PRODUCTS AVAILABLE IN

France
Germany
Italy
Spain

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
THEOS NetS		•			•						•		•

1777 BOTELHO DRIVE SUITE 110 • WALNUT CREEK, CA 94596 •

PHONE (510) 935-1118

TOLL FREE 800-600-5660

E-MAIL info@theos-software.com

FAX (510) 935-1177

URL <http://www.theos-software.com>

HOST ADAPTERS TESTED

AHA-1540/2/F/P

THEOS Software Corporation

THEOS 32

THEOS 32® is a 32-bit multiuser, multi-threaded, preemptive multitasking operating system. Optimized to run on 486 and Pentium based systems, THEOS can support over 200 users. Built-in features include: Windowing capabilities, RS-232 Communications tools, Tape Backup Utilities, SCSI support. Additional products include 32-bit C and BASIC development languages.

The THEOS operating system is primarily used in vertical markets such as Dental, Veterinarian, Alarm Systems and Point-of-Sale.

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Portuguese, Spanish

PRODUCTS AVAILABLE IN

France
Germany
Italy
Spain

PERIPHERALS SUPPORTED

CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
THEOS 32	•			•				•		•		•

1777 BOTELHO DRIVE SUITE 110 • WALNUT CREEK, CA 94596 •

PHONE (510) 935-1118

TOLL FREE 800-600-5660

E-MAIL info@theos-software.com

FAX (510) 935-1177

URL http://www.theos-software.com

HOST ADAPTERS TESTED

AHA-1540/2/F/P
 AHA-2740/2/4/T/W
 AHA-2940/4/W
 AHA-3940/W

Traakan

NETSERVER

NetServer software connects storage and peripheral resources to TCP/IP-NFS networks quickly, easily, and economically. NetServer based NFS file servers provide local and remote tape backup, rapid-restart file volumes, and local and remote menu-driven administration. The streamlined firmware-like design manages terabytes of storage and delivers 1000+ SPEC-NFS operations per second. NetServer is available to qualified VARS/OEMS/ Integrators that service the Open Systems Market.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA, United Kingdom

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetServer	•	•			•	•			•		•		

801 WEST EL CAMINO REAL SUITE 179 • MOUNTAIN VIEW, CA 94040 •

PHONE 415-961-0900

E-MAIL Traakan@netcom.netcom.com

FAX 415-941-0914

URL